




CAROLINA CLASSIC 32 SPECIFICATIONS



L.O.A: 32' w/o pulpit

Beam: 13'

Deadrise: 20°

Draft: 3'6"

Fuel Capacity: 355 gal.

Water Capacity: 50 gal.

Drive: Conventional Inboard

Standard Power: Twin diesel up to 480HP each

CONSTRUCTION

- Bonded and mechanically fastened hull, deck and liner
- Fiberglass encapsulated stringer system
- NMMA Certified
- Solid fiberglass hull

MECHANICAL

- Molded fiberglass helm deck, hydraulically lifted, with full length gutters and operated from cockpit control
- Helm chair, adjustable fore and aft, extra wide with foot rest
- Companion chair, adjustable fore and aft, with foot rest
- Engine access hatch
- Helm console, integrally molded, folds down for easy access to wiring and gauges; gasket sealed to resist moisture
- Storage cabinets under helm and

- companion seats
- Bench lounge with storage below

HELM CONSOLE

- Compass with light, flush mounted
- Complete custom engine instrument panel with audible warning system
- Custom switches, all circuit breakers
- Dual lever electronic engine controls
- Full VDO instruments
- Hydraulic steering system(Sea Star)
- Stainless steel helm wheel
- Windscreen, curve wrap-around, tempered glass, with power-operated vent
- Windshield wipers
- Large console for custom installed, flush mounted electronics

MARLIN TOWER (optional)

- Companion seating
- Lee senior outriggers
- Rocket launchers on tower legs
- Second station controls and gauges
- Spreader lights
- Mount for center spreader pole
- Weather enclosure, lower station

COCKPIT

- Ice box, fitted with gasketed lid, full length stainless steel piano hinge and custom latch
- Built-in freezer (optional)
- Tackle center with gasketed drawers
- Bait prep center, includes freshwater sink, rigging board and tackle storage, fitted with custom lid, full length stainless steel piano hinge and custom latch

- Courtesy lighting under gunwales
- Fighting chair with footrest (optional)
- Fishboxes(2), 50 gallon capacity, insulated, with macerator pump-out systems
- Freezer fish box, 50 gallon capacity (optional)
- Gunwale padding, high density foam, white vinyl covered
- Hatches, lazarette and fishboxes, with drains, gutters and full length, stainless steel piano hinges
- Live bait well(optional)
- Rod holders (4), recessed
- Self bailing cockpit scuppers
- Swim platform, fiberglass (optional)
- Transom door
- Washdown, fresh water, port side
- Washdown, salt water, stbd.side

ELECTRICAL

- Custom AC electrical distribution panel with reverse polarity light and main breakers that trip with reverse polarity
- Custom DC electrical distribution panel
- Circuit breaker protection throughout
- Battery paralleling switch
- Battery on/off switches, vapor proof
- Batteries (3), heavy-duty
- Battery charger, 40 amp automatic
- Bonded electrical system
- Engine room lights
- Generator
- High Water Alarm
- Horn, dual air trumpet
- Navigation lights
- 30 amp shore power w/25' shore cord
- TV and telephone inlets and jacks (optional)

MAIN CABIN

- Access to bilge, sealed
- Designer interiors, high quality, selection available
- Lighting - recessed halogen
- 110 volt duplex outlets/GFI protected
- Overhead opening hatch
- Positive latches, S/S, used on cabinet doors and drawers, Sole, teak and holly

MECHANICAL

- Algae-X Fuel Optimization System
- Anchor windlass, electric with remote

- switch(optional)
- Battery charger
- Bilge, gel-coated finish
- Bilge pumps(3), 12V automatic/manual w/ indicator lights
- Bilge system under cabin is separated and sealed to eliminate odors
- Bonding system with transom zinc plate
- Double engine room bulkhead with sound insulation
- Double stainless steel hose clamps on all hose fittings below waterline,
- Double clamps on engine exhaust hoses
- Engine alarm system
- Engine hour meters(2)
- Engine room sound insulation
- Fire extinguisher system, automatic
- Fresh water cooling on main engines
- Fuel filters with water separators on main engines and generator, large capacity
- Heavy duty marine grade mufflers, fiberglass
- Holding tank, 30 gallons, with Y-valve
- Hot water heater, stainless steel 6 gallon, 120V, quick recovery
- HVAC with digital controls
- Hydraulic helm deck lift system
- Oil pump-out system(optional)
- Propellers, 4 blade nibral
- Rudders, stainless steel
- Sea cocks, UL approved, bronze, fitted on all through-hulls below water line
- Sea water strainers,bronze(2)
- Stuffing boxes, bronze, driplless
- Trim tabs/fully recessed

FORWARD BERTH

- Built in upholstered seating
- Diagonal double bed
- 110 volt duplex outlet/GFI protected
- Locker
- Positive latches, S/S, used on cabin doors and drawers
- Recessed halogen lights
- Reading lights
- Storage compartment and large drawers below berth

HEAD

- Electric head with vacuum flush
- Floor, non-skid
- Hand controlled shower

- Head room, 6'4"
- Mirrored vanity
- Receptacle, 110 Volt duplex/ GFI protected
- Sink, color-matched with vanity
- Shower drain with macerator pump
- Towel rack
- Corian® countertops (optional)

- Corian® countertop
- Microwave oven
- 110 volt duplex outlet/GFI protected
- Positive latches, used on cabinet doors and drawers
- Refrigerator, AC/DC
- Sink, deep single, polished stainless steel
- Storage compartments & drawer

GALLEY

- Built in entertainment center w/flat screen HD TV and DVD player

MISCELLANEOUS

- Air intake vents, above shear
- Anchor locker, bow access
- Bow chocks,(2) S/S
- Bow rail, stainless steel
- Cleats,S/S,2 bow, 2 spring, 2 stern
- Deck, diamond non-skid
- Deck hardware, stainless steel, through-bolted
- Hawse pipes, 2, S/S